ELSEVIER

Mechanisms of Development 57 (1996) 229–230

Author index

Volume 57 (1996)

Adams, R.H., H. Betz, A.W. Püschel, A novel class of murine semaphorins with homology to thrombospondin is differentially expressed during early embryogenesis **57**, 33
Archer, C.W., see Duprez, D. **57**, 145

Balakrishnan, R., see Murugasu-Oei, B. **57**, 91
Bertwistle, D., M.E. Walmsley, E.M. Read, J.A. Pizzey, R.K. Patient, GATA factors and the origins of adult and embryonic blood in *Xenopus*: responses to retinoic acid **57**, 199
Bettler, Jr., D.R., see Chen, C.-M. **57**, 215
Betz, H., see Adams, R.H. **57**, 33
Boncinelli, E., see Briata, P. **57**, 169
Briata, P., E. Di Blas, M. Gulisano, A. Mallamaci, R. Iannone, E. Boncinelli, G. Corte, EMX1 homeoprotein is expressed in cell nuclei of the developing cerebral cortex and in the axons of the olfactory sensory neurons **57**, 169
Brickell, P.M., see Duprez, D. **57**, 145

Castro-Obregón, S., see Escalante-Alcalde, D. **57**, 21
Chambers, I., see Nichols, J. **57**, 123
Chen, C.-M., J.A. Freedman, D.R. Bettler, Jr., S.D. Manning, S.N. Giep, J. Steiner, H.M. Ellis, polychaetoid is required to restrict segregation of sensory organ precursors from proneural clusters in *Drosophila* **57**, 215
Chia, W., see Murugasu-Oei, B. **57**, 91
Corte, G., see Briata, P. **57**, 169
Covarrubias, L., see Escalante-Alcalde, D. **57**, 21

Davidson, D., see Nichols, J. **57**, 123
de H. Bell, E.J., see Duprez, D. **57**, 145
Di Blas, E., see Briata, P. **57**, 169
Duncan, M.K., X. Li, H. Ogino, K. Yasuda, J. Piatigorsky, Developmental regulation of the chicken βB1-crystallin promoter in transgenic mice **57**, 79
Duprez, D., E.J. de H. Bell, M.K. Richardson, C.W. Archer, L. Wolpert, P.M. Brickell, P.H. Francis-West, Overexpression of BMP-2 and BMP-4 alters the size and shape of developing skeletal elements in the chick limb **57**, 145

Ellis, H.M., see Chen, C.-M. **57**, 215
Escalante-Alcalde, D., F. Recillas-Targa, D. Hernández-García, S. Castro-Obregón, M. Terao, E. Garattini, L. Covarrubias, Retinoic acid and methylation cis-regulatory elements control the mouse tissue non-specific alkaline phosphatase gene expression **57**, 21

Francis-West, P.H., see Duprez, D. **57**, 145
Freedman, J.A., see Chen, C.-M. **57**, 215

Garattini, E., see Escalante-Alcalde, D. **57**, 21
Giep, S.N., see Chen, C.-M. **57**, 215
Goubeaud, A., S. Knirr, R. Renkawitz-Pohl, A. Paululat, The *Drosophila* gene *alien* is expressed in the muscle attachment sites during embryogenesis and encodes a protein highly conserved between plants, *Drosophila* and vertebrates **57**, 59
Gulisano, M., see Briata, P. **57**, 169

Hausen, P., see Schneider, S. **57**, 191
Hemmati-Brivanlou, A., see Weinstein, D.C. **57**, 133
Hernández-García, D., see Escalante-Alcalde, D. **57**, 21
Hilfiker, A., see McDowell, K.A. **57**, 113
Hogan, B.L.M., see Zhao, G.-Q. **57**, 159

Iannone, R., see Briata, P. **57**, 169

Karr, T.L., see Lassy, C.W. **57**, 47
Kaufmann, E., W. Knöchel, Five years on the wings of fork head **57**, 3
Knirr, S., see Goubeaud, A. **57**, 59
Knöchel, W., see Kaufmann, E. **57**, 3

Lassy, C.W., T.L. Karr, Cytological analysis of fertilization and early embryonic development in incompatible crosses of *Drosophila simulans* **57**, 47
Le Douarin, N.M., see Watanabe, Y. **57**, 69
Li, X., see Duncan, M.K. **57**, 79
Lucchesi, J.C., see McDowell, K.A. **57**, 113

Mallamaci, A., see Briata, P. **57**, 169
Manning, S.D., see Chen, C.-M. **57**, 215
McDowell, K.A., A. Hilfiker, J.C. Lucchesi, Dosage compensation in *Drosophila*: the X chromosome binding of MSL-1 and MSL-2 in female embryos is prevented by the early expression of the *Sxl* gene **57**, 113
Miya, T., K. Morita, N. Ueno, N. Satoh, An ascidian homologue of vertebrate BMPs-5–8 is expressed in the midline of the anterior neuroectoderm and in the midline of the ventral epidermis of the embryo **57**, 181
Morita, K., see Miya, T. **57**, 181
Murugasu-Oei, B., R. Balakrishnan, X. Yang, W. Chia, V. Rodrigues, Mutations in masquerade, a novel serine-protease-like molecule, affect axonal guidance and taste behavior in *Drosophila* **57**, 91

Nadal-Ginard, B., see Subramanian, S.V. **57**, 103
Nichols, J., D. Davidson, T. Taga, K. Yoshida, I. Chambers, A. Smith, Complementary tissue-specific expression of LIF and LIF-receptor mRNAs in early mouse embryogenesis **57**, 123

Ogino, H., see Duncan, M.K. **57**, 79

Patient, R.K., see Bertwistle, D. **57**, 199
Paululat, A., see Goubeaud, A. **57**, 59
Piatigorsky, J., see Duncan, M.K. **57**, 79
Pizzey, J.A., see Bertwistle, D. **57**, 199
Püschel, A.W., see Adams, R.H. **57**, 33

0925-4773/96/$15.00 © 1996 Elsevier Science Ireland Ltd. All rights reserved

Rahman, S.M., see Weinstein, D.C. **57**, 133
Read, E.M., see Bertwistle, D. **57**, 199
Recillas-Targa, F., see Escalante-Alcalde, D. **57**, 21
Renkawitz-Pohl, R., see Goubeaud, A. **57**, 59
Richardson, M.K., see Duprez, D. **57**, 145
Rodrigues, V., see Murugasu-Oei, B. **57**, 91
Ruiz, J.C., see Weinstein, D.C. **57**, 133

Satoh, N., see Miya, T. **57**, 181
Schneider, S., H. Steinbeisser, R.M. Warga, P. Hausen, β-Catenin translocation into nuclei demarcates the dorsalizing centers in frog and fish embryos **57**, 191
Smith, A., see see Nichols, J. **57**, 123
Steinbeisser, H., see Schneider, S. **57**, 191
Steiner, J., see Chen, C.-M. **57**, 215
Subramanian, S.V., B. Nadal-Ginard, Early expression of the different isoforms of the myocyte enhancer factor-2 (MEF2) protein in myogenic as well as non-myogenic cell lineages during mouse embryogenesis **57**, 103

Taga, T., see Nichols, J. **57**, 123
Terao, M., see Escalante-Alcalde, D. **57**, 21

Ueno, N., see Miya, T. **57**, 181

Walmsley, M.E., see Bertwistle, D. **57**, 199
Warga, R.M., see Schneider, S. **57**, 191
Watanabe, Y., N.M. Le Douarin, A role for BMP-4 in the development of subcutaneous cartilage **57**, 69
Weinstein, D.C., S.M. Rahman, J.C. Ruiz, A. Hemmati-Brivanlou, Embryonic expression of *eph* signalling factors in *Xenopus* **57**, 133
Wolpert, L., see Duprez, D. **57**, 145

Yang, X., see Murugasu-Oei, B. **57**, 91
Yasuda, K., see Duncan, M.K. **57**, 79
Yoshida, K., see Nichols, J. **57**, 123

Zhao, G.-Q., B.L.M. Hogan, Evidence that mouse *Bmp8a* (*Op2*) and *Bmp8b* are duplicated genes that play a role in spermatogenesis and placental development **57**, 159

ELSEVIER

Mechanisms of Development 57 (1996) 231–233

Subject index

Volume 57 (1996)

alien; Evolutionary conservation; *Drosophila*; Muscle attachments; TRIP 15 **57**, 59

Alkaline phosphatase; Promoter; Retinoic acid; Methylation; Primordial germ cells; Mouse development **57**, 21

Ascidian homologue; Vertebrate *BMP-5–8*; Embryonic expression; Midline of neuroectoderm; Midline of ventral epidermis **57**, 181

Axon; Pathfinding; Guidance **57**, 33

Axonal guidance; *Drosophila*; *masquerade*; Gustatory pathways; Nervous system development; Serine-protease-like **57**, 91

βB1-crystallin; Chloramphenicol acetyl transferase; Transgenic mice **57**, 79

BMP-2; Limb; Cartilage; Chondrocytes; BMP-4; Retrovirus; Perichondrium **57**, 145

BMP-4; Limb; Cartilage; Chondrocytes; BMP-2; Retrovirus; Perichondrium **57**, 145

BMP-4; Whole mount in situ hybridization; Dorsal specific genes; *Msx-1*; *Msx-2*; Vertebra **57**, 69

Bmp8; Mouse; Bone morphogenetic proteins; Testis; Spermatogenesis; Placenta **57**, 159

Bone morphogenetic proteins; Mouse; *Bmp8*; Testis; Spermatogenesis; Placenta **57**, 159

Cartilage; Limb; Chondrocytes; BMP-2; BMP-4; Retrovirus; Perichondrium **57**, 145

β-Catenin; *Xenopus*; Zebrafish; Dorsalization; Nieuwkoop Center; Cortical rotation; Nuclear localization; *wnt*-signaling **57**, 191

Cerebral cortex; EMX1; Homeoprotein; Olfactory nerve **57**, 169

Chloramphenicol acetyl transferase; βB1-crystallin; Transgenic mice **57**, 79

Chondrocytes; Limb; Cartilage; BMP-2; BMP-4; Retrovirus; Perichondrium **57**, 145

Cortical rotation; *Xenopus*; Zebrafish; Dorsalization; Nieuwkoop Center; β-Catenin; Nuclear localization; *wnt*-signaling **57**, 191

Cytokine; LIF; gp130; Embryonic stem cells; Early mouse embryogenesis; Uterus **57**, 123

Cytoplasmic incompatibility; Egg lethality; Mitotic defect **57**, 47

Dorsal specific genes; *BMP-4*; Whole mount in situ hybridization; *Msx-1*; *Msx-2*; Vertebra **57**, 69

Dorsalization; *Xenopus*; Zebrafish; Nieuwkoop Center; Cortical rotation; β-Catenin; Nuclear localization; *wnt*-signaling **57**, 191

Dosage compensation; Sex determination; Embryonic development **57**, 113

Drosophila; *alien*; Evolutionary conservation; Muscle attachments; TRIP 15 **57**, 59

Drosophila; *masquerade*; Axonal guidance; Gustatory pathways; Nervous system development; Serine-protease-like **57**, 91

Drosophila; *polychaetoid*; Sensory organ precursor; Proneural cluster **57**, 215

Early mouse embryogenesis; LIF; gp130; Embryonic stem cells; Uterus; Cytokine **57**, 123

Egg lethality; Cytoplasmic incompatibility; Mitotic defect **57**, 47

Embryonic development; Dosage compensation; Sex determination **57**, 113

Embryonic expression; Vertebrate *BMP-5–8*; Ascidian homologue; Midline of neuroectoderm; Midline of ventral epidermis **57**, 181

Embryonic stem cells; LIF; gp130; Early mouse embryogenesis; Uterus; Cytokine **57**, 123

EMX1; Homeoprotein; Olfactory nerve; Cerebral cortex **57**, 169

***eph* signalling**; *XELF-a*; Vertebrate development; Neural patterning; Mesodermal patterning; *Xenopus* **57**, 133

Evolutionary conservation; *alien*; *Drosophila*; Muscle attachments; TRIP 15 **57**, 59

Fork head; HNF-3; Transcription factor **57**, 3

GATA factors; *Xenopus*; Haematopoiesis; Retinoic acid; Mesoderm **57**, 199

gp130; LIF; Embryonic stem cells; Early mouse embryogenesis; Uterus; Cytokine **57**, 123

Guidance; Pathfinding; Axon **57**, 33

0925-4773/96/$15.00 © 1996 Elsevier Science Ireland Ltd. All rights reserved

Gustatory pathways; *Drosophila*; *masquerade*; Axonal guidance; Nervous system development; Serine-protease-like **57**, 91

Haematopoiesis; *Xenopus*; Retinoic acid; GATA factors; Mesoderm **57**, 199

HNF-3; Fork head; Transcription factor **57**, 3

Homeoprotein; EMX1; Olfactory nerve; Cerebral cortex **57**, 169

LIF; gp130; Embryonic stem cells; Early mouse embryogenesis; Uterus; Cytokine **57**, 123

Limb; Cartilage; Chondrocytes; BMP-2; BMP-4; Retrovirus; Perichondrium **57**, 145

Mesoderm; *Xenopus*; Haematopoiesis; Retinoic acid; GATA factors **57**, 199

Mesodermal patterning; *XELF-a*; *eph* signalling; Vertebrate development; Neural patterning; *Xenopus* **57**, 133

Methylation; Alkaline phosphatase; Promoter; Retinoic acid; Primordial germ cells; Mouse development **57**, 21

Midline of neuroectoderm; Vertebrate *BMP-5–8*; Ascidian homologue; Embryonic expression; Midline of ventral epidermis **57**, 181

Midline of ventral epidermis; Vertebrate *BMP-5–8*; Ascidian homologue; Embryonic expression; Midline of neuroectoderm **57**, 181

Mitotic defect; Cytoplasmic incompatibility; Egg lethality **57**, 47

Mouse development; Alkaline phosphatase; Promoter; Retinoic acid; Methylation; Primordial germ cells **57**, 21

Mouse; Bone morphogenetic proteins; *Bmp8*; Testis; Spermatogenesis; Placenta **57**, 159

Mouse; Myocyte enhancer factor-2; Myogenesis **57**, 103

Msx-1; *BMP-4*; Whole mount in situ hybridization; Dorsal specific genes; *Msx-2*; Vertebra **57**, 69

Msx-2; *BMP-4*; Whole mount in situ hybridization; Dorsal specific genes; *Msx-1*; Vertebra **57**, 69

Muscle attachments; *alien*; Evolutionary conservation; *Drosophila*; TRIP 15 **57**, 59

Myocyte enhancer factor-2; Myogenesis; Mouse **57**, 103

Myogenesis; Myocyte enhancer factor-2; Mouse **57**, 103

Nervous system development; *Drosophila*; *masquerade*; Axonal guidance; Gustatory pathways; Serine-protease-like **57**, 91

Neural patterning; *XELF-a*; *eph* signalling; Vertebrate development; Mesodermal patterning; *Xenopus* **57**, 133

Nieuwkoop Center; *Xenopus*; Zebrafish; Dorsalization; Cortical rotation; β-Catenin; Nuclear localization; *wnt*-signaling **57**, 191

Nuclear localization; *Xenopus*; Zebrafish; Dorsalization; Nieuwkoop Center; Cortical rotation; β-Catenin; *wnt*-signaling **57**, 191

Olfactory nerve; EMX1; Homeoprotein; Cerebral cortex **57**, 169

Pathfinding; Guidance; Axon **57**, 33

Perichondrium; Limb; Cartilage; Chondrocytes; BMP-2; BMP-4; Retrovirus **57**, 145

Placenta; Mouse; Bone morphogenetic proteins; *Bmp8*; Testis; Spermatogenesis **57**, 159

polychaetoid; *Drosophila*; Sensory organ precursor; Proneural cluster **57**, 215

Primordial germ cells; Alkaline phosphatase; Promoter; Retinoic acid; Methylation; Mouse development **57**, 21

Promoter; Alkaline phosphatase; Retinoic acid; Methylation; Primordial germ cells; Mouse development **57**, 21

Proneural cluster; *Drosophila*; *polychaetoid*; Sensory organ precursor **57**, 215

Retinoic acid; Alkaline phosphatase; Promoter; Methylation; Primordial germ cells; Mouse development **57**, 21

Retinoic acid; *Xenopus*; Haematopoiesis; GATA factors; Mesoderm **57**, 199

Retrovirus; Limb; Cartilage; Chondrocytes; BMP-2; BMP-4; Perichondrium **57**, 145

Sensory organ precursor; *Drosophila*; *polychaetoid*; Proneural cluster **57**, 215

Serine-protease-like; *Drosophila*; *masquerade*; Axonal guidance; Gustatory pathways; Nervous system development **57**, 91

Sex determination; Dosage compensation; Embryonic development **57**, 113

Spermatogenesis; Mouse; Bone morphogenetic proteins; *Bmp8*; Testis; Placenta **57**, 159

Testis; Mouse; Bone morphogenetic proteins; *Bmp8*; Spermatogenesis; Placenta **57**, 159

Transcription factor; Fork head; HNF-3 **57**, 3

Transgenic mice; βB1-crystallin; Chloramphenicol acetyl transferase **57**, 79

TRIP 15; *alien*; Evolutionary conservation; *Drosophila*; Muscle attachments **57**, 59

Uterus; LIF; gp130; Embryonic stem cells; Early mouse embryogenesis; Cytokine **57**, 123

Vertebra; *BMP-4*; Whole mount in situ hybridization; Dorsal specific genes; *Msx-1*; *Msx-2* **57**, 69

Vertebrate *BMP-5–8*; Ascidian homologue; Embryonic expression; Midline of neuroectoderm; Midline of ventral epidermis **57**, 181

Vertebrate development; *XELF-a*; *eph* signalling; Neural patterning; Mesodermal patterning; *Xenopus* **57**, 133

Whole mount in situ hybridization; *BMP-4*; Dorsal specific genes; *Msx-1*; *Msx-2*; Vertebra **57**, 69

***wnt*-signaling**; *Xenopus*; Zebrafish; Dorsalization; Nieuwkoop Center; Cortical rotation; β-Catenin; Nuclear localization **57**, 191

XELF-a; *eph* signalling; Vertebrate development; Neural patterning; Mesodermal patterning; *Xenopus* **57**, 133

Xenopus; Haematopoiesis; Retinoic acid; GATA factors; Mesoderm **57**, 199

Xenopus; *XELF-a*; *eph* signalling; Vertebrate development; Neural patterning; Mesodermal patterning **57**, 133

Xenopus; Zebrafish; Dorsalization; Nieuwkoop Center; Cortical rotation; β-Catenin; Nuclear localization; *wnt*-signaling **57**, 191

Zebrafish; *Xenopus*; Dorsalization; Nieuwkoop Center; Cortical rotation; β-Catenin; Nuclear localization; *wnt*-signaling **57**, 191